

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040217695".did.	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:35
S2	728	(427/66).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/28 17:03
S3	2992	((427/66,68,69) or (445/24)). CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/29 14:32
S5	2253627	"3" and (mask frame peripher\$5 support)	US-PGPUB; USPAT	OR	OFF	2005/04/28 17:19
S6	2992	((427/66,68,69) or (445/24)). CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/28 17:19
S7	2039	S6 and (mask frame peripher\$5 support)	US-PGPUB; USPAT	OR	OFF	2005/04/28 17:19
S8	1375	S6 and (mask)	US-PGPUB; USPAT	OR	OFF	2005/04/28 17:19
S9	869	S6 and (mask) and (polymer organic Alq\$4)	US-PGPUB; USPAT	OR	OFF	2005/04/28 17:34
S15	1203	(BOLED OLED OEL TOLED SOLED FOLED PLED (polymer organic) near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL ELD) OELD OED LESD).ab,ti,clm. and mask.ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:46
S16	1244	(BOLED OLED OEL TOLED SOLED FOLED PLED (polymer organic) near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL ELD) OELD OED LESD).ab,ti,clm. and mask.ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 21:08
S17	2304	(313/504).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:47
S18	0	("13andmaskwithorganic").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:47
S19	340	S17 and mask with organic	US-PGPUB; USPAT	OR	ON	2005/04/28 18:47

S20	312	S17 and mask with organic with (coat\$5 layer\$5 jacket\$5 film skin plate plating plated sublayer sub adj layer lamina\$5 overcoat\$4 monolayer\$4 sheet clad\$4)	US-PGPUB; USPAT	OR	ON	2005/04/28 18:48
S21	312	S17 and mask with organic with (coat\$5 layer\$5 jacket\$5 film skin plate plating plated sublayer sub adj layer lamina\$5 overcoat\$4 monolayer\$4 sheet clad\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 18:48
S22	142	S16 and (frame\$4 (around surround\$4) near2 periphery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 19:16
S23	127	S22 not (S21 S9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 20:07
S24	94	S22 and deposit\$6 not (S21 S9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 19:19
S25	2298	(313/504).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/28 21:02
S26	178	S25 and frame	US-PGPUB; USPAT	OR	OFF	2005/04/28 20:08
S27	65	S25 and frame	USPAT	OR	OFF	2005/04/28 20:23
S28	1	"20040217695".did.	US-PGPUB	OR	OFF	2005/04/28 20:23
S29	1	S28 and (32a 32b)	US-PGPUB	OR	OFF	2005/04/28 20:47
S30	1	"20020158570".did.	US-PGPUB	OR	OFF	2005/04/28 20:47
S31	1	S30 and pillar	US-PGPUB	OR	ON	2005/04/28 20:48
S32	1	S30 and (pillar column)	US-PGPUB	OR	ON	2005/04/28 20:49
S33	1	S30 and (pillar column projection)	US-PGPUB	OR	ON	2005/04/28 20:49
S34	11	S25 and frame near5 pixel	US-PGPUB; USPAT	OR	OFF	2005/04/28 21:04
S35	13	S25 and frame near5 (anode electrode cathode)	US-PGPUB; USPAT	OR	OFF	2005/04/28 21:12

S36	35975	(BOLED OLED OEL TOLED SOLED FOLED PLED (polymer organic) near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL ELD) OELD OED LESD).ab,ti,clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 21:12
S37	63	S36 and frame near5 (anode electrode cathode)	US-PGPUB; USPAT	OR	OFF	2005/04/28 22:05
S38	1	S28 and (cathode S28)	US-PGPUB; USPAT	OR	OFF	2005/04/28 22:05
S39	1	S28 and (cathode S28 opposing adj electrode)	US-PGPUB; USPAT	OR	ON	2005/04/28 22:05
S40	152053	sanyo adj electric.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 22:19
S41	571	(yoneda near2 kiyoshi nishikawa near2 ryuji).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 22:20
S42	3	S41 and (surround frame) with (electrode anode cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 22:20
S43	16	S41 and (surround\$4 frame) with (electrode anode cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 22:20
S44	281419	sony.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:12
S45	1	S44 and organic adj layer and periphery with insulating and positively adj isolate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:18

S46	365	S44 and organic adj layer positively adj isolate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:18
S47	1	S44 and organic adj layer and positively adj isolate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:19
S48	2	"6774561".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:24
S49	1	S48 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:19
S50	1	2002-500914.NRAN.	DERWENT	OR	OFF	2005/04/29 11:21
S51	2	"20040012329".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:30
S52	1	2004-045515.NRAN.	DERWENT	OR	OFF	2005/04/29 11:24
S53	3519	(156/230-241).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/29 12:37
S54	43	S53 and (BOLED OLED OEL TOLED SOLED FOLED PLED (polymer organic) near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL ELD) OELD OED LESD).bi. and (display panel).bi.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:37
S55	11401	"43" and laser same (emissive luminous light emitting) near4 (coat\$5 layer\$5 jacket\$5 film skin plate plating plated sublayer sub adj layer lamina\$5 overcoat\$4 monolayer\$4 sheet clad\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:34

S56	30	S54 and laser same (emissive luminous light emitting) near4 (coat\$5 layer\$5 jacket\$5 film skin plate plating plated sublayer sub adj layer lamina\$5 overcoat\$4 monolayer\$4 sheet clad\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:35
S57	27	S54 and laser same (emissive luminous light emitting) same donor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:38
S58	3519	(156/230-241).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/29 12:37
S59	43	S58 and (BOLED OLED OEL TOLED SOLED FOLED PLED (polymer organic) near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL ELD) OELD OED LESD).bi. and (display panel).bi.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:45
S60	27	S59 and laser same (emissive luminous light emitting) same donor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:46
S61	33288	(BOLED OLED OEL TOLED SOLED FOLED PLED (polymer organic) near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL ELD) OELD OED LESD).bi. and (display panel).bi.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:45
S62	166	S61 and laser same (emissive luminous light emitting) same donor not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:26
S63	2	"20020158570".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:26

S64	1	S63 and (projection pillar column) with (height thickn\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:27
S65	1	WO-200256641-\$.did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/04/29 13:36
S66	1	2002wo-jp00094.ap,prai.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/04/29 14:13
S67	1	2002-500914.NRAN.	DERWENT	OR	OFF	2005/04/29 13:37
S68	0	313/505-512	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:15
S69	3669	(313/505-512).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/29 14:15
S70	4214	(313/505-512).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:15
S71	0	("21and(frameperiphery)near5(ele ctrodecathod\$2anod\$2)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:16
S72	163	S70 and (frame periphery) near5 (electrode cathod\$2 anod\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:16
S73	64	S70 and (frame periphery) near5 (electrode cathod\$2 anod\$2) same (insulat\$5 dielectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:17
S74	32	S70 and (frame periphery) near5 (electrode cathod\$2 anod\$2) same (insulat\$5 dielectric) and (pixel\$6 subpixel\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:17

S75	32	S74 and (frame periphery) near5 (electrode cathod\$2 anod\$2) same (insulat\$5 dielectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:23
S76	2947	313/504	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:27
S77	2298	(313/504).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/29 14:27
S78	178	S77 and frame	US-PGPUB; USPAT	OR	OFF	2005/04/29 14:27
S79	8573	((427/66,68,69) or (445/24) or (313/504-512)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 14:32
S80	3	S79 and framework near6 (electrode anod\$2 cathod\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:46
S81	571	(yoneda near2 kiyoshi nishikawa near2 ryuji).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:47
S82	5	S81 and frame.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:47
S83	1	S81 and frame.clm. and organic. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:48
S84	1	"20040217695".did.	US-PGPUB; USPAT	OR	OFF	2005/04/29 16:20
S85	1	S84 and protrusion	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:36

S86	1	S84 and protrusion with pixel	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:47
S87	1	S84 and protrusion with outside	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:50
S88	0	S84 and "on outside"	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:50
S89	2298	(313/504).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:50
S90	0	S89 and "on outside"	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:50
S91	574	S89 and "outside"	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:55
S92	0	S89 and "on the outside"	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:55
S93	0	"on the outside"	US-PGPUB; USPAT	OR	OFF	2005/04/29 15:55
S94	0	S84 and defin\$5	US-PGPUB; USPAT	OR	ON	2005/04/29 16:49
S95	1	"20030189400".did.	US-PGPUB; USPAT	OR	ON	2005/04/29 16:52
S96	1	"6786257".pn.	US-PGPUB; USPAT	OR	ON	2005/04/29 16:53
S97	1	"6768257".pn.	US-PGPUB; USPAT	OR	ON	2005/04/29 17:57
S98	1	"20040217695".did.	US-PGPUB; USPAT	OR	ON	2005/04/29 17:58
S99	1	S98 and size near6 pixel	US-PGPUB; USPAT	OR	ON	2005/04/29 17:58
S10 0	1	"20040135501".did.	US-PGPUB; USPAT	OR	OFF	2005/04/30 17:21